

THANK YOU: The employees and management of HYDRO TEK SYSTEMS, INC. thank you for selecting our products. The production and quality assurance team have taken the greatest care to ensure that your new pressure washer exceeds the standards set by you, the customer, by Hydro Tek engineering and ISO9001:2008 quality management standard, and by UL1776 safety certification.

YOUR RESPONSIBILITY: This operator's manual was compiled for your benefit. By studying and following the safety, installation, operation, maintenance, and troubleshooting information contained within, you can look forward to many years of trouble-free service from your equipment. Every person who will operate the equipment must read and follow the safety warning and operating instruction sections of this owner's manual prior to use. You are responsible for operating the product properly and safely. You are also responsible to follow the maintenance schedule on the back page of this manual to keep your warranty active.

FREIGHT DAMAGE: If delivered by a trucking company, please inspect for any concealed freight damage and note this on the paperwork from the trucking company before signing. Should you find damage has occurred during shipping, do not return the damaged merchandise to Hydro Tek, but file a claim immediately with the freight carrier involved.

QUESTIONS: Help us provide you with the fastest service. Please locate the enclosed warranty registration card and return it to Hydro Tek to register your machine.

If problems occur, contact the dealer you bought your machine from, a local authorized Hydro Tek service center, or call Hydro Tek at 1-(909) 799-9222 option 4 or ask for technical services.

GETTING STARTED: If your dealer has not prepared the machine for startup, you may need to connect the hose to the pressure outlet on the washer and connect the other end of the hose that swivels to the trigger gun inlet and tighten. Mobile Wash Skids are engine powered and shipped from the manufacturer with the fuel tanks empty and without the battery. Connect the battery cables (positive lead first) and follow the operation instructions for starting. High Pressure Steamers are electric powered and will require an appropriate electric outlet or disconnect box and an electric plug that is rated for your machine's voltage and amperage and matches to your electrical socket. Smaller machines are equipped with a ground fault interrupter on the electrical cord and you will need to press the reset button after it is plugged in. (See Operating Instruction section and enclosed page on Installation Guidelines).

ONE YEAR PARTS & LABOR WARRANTY: Hydro Tek Systems, Inc. (Hydro Tek) promises to repair Hydro Tek branded power washers if defective in materials or workmanship for one year from the date of original retail purchase including the cost of PARTS and LABOR, but you must pay transportation/shipping costs and travel time.

LIFETIME PARTS/ONE YEAR LABOR WARRANTY: The Spiralast™ heating coil on the Hydro Tek branded product line includes a lifetime parts warranty and a replacement coil will be provided as long as you own the machine.

ONE YEAR PARTS WARRANTY: Hydro Tek will provide replacement parts on accessories and on all other product brands including Hot2Go power washers, Hydro Vacuum, or Hot Link heaters. (Labor is not included)

Items and Conditions Not Covered:

1. Normal wear items such as discharge hose, guns, wands, spray arms, nozzles, quick couplers, o-rings, motor & generator brushes, filters, fuses, belts, & tires.
2. Cost of regular maintenance/adjustments, damage from lack of maintenance or correct operation
3. Damage due to freezing, abrasive fluids, chemical deterioration, scale build-up, or water ingress.
4. Damage from fluctuation in electrical or water supply.
5. Any product or part that has been altered, modified, over pressurized, misused, or has been in an accident.
6. Dealer installation or damage from improper installation of the machine or alteration by a dealer or promise of additional warranty from dealer. The manufacturer warranty is not transferable from the dealer to the retail purchaser on used or rented equipment.
7. Labor is not paid if the dealer that serviced your machine is not an authorized service center.
8. Labor is not paid on added accessories such as surface cleaners, hose reels, wastewater recovery, hot link water heaters, and filtration.

WARRANTY PROVIDED BY OTHERS: Gasoline and diesel engines and some electric motors are warranted by the manufacturer of the component and their warranty is provided through the manufacturer's service centers. Contact your authorized distributor for the closest repair center. Additional extended warranties from 3 to 5 years may be provided by engine or pump manufacturer.

GENERAL CONDITIONS: Hydro Tek's responsibility with respect to claims is limited to making the required repairs or replacements to the original retail user, and no claim of breach of warranty shall be cause for any cancellation or rescission of the contract of sale of any

Hydro Tek product. Hydro Tek reserves the right to change or improve the design of any of its products or illustrations without assuming any obligation to modify any product previously manufactured.

This supersedes any and all previous warranty statements for products purchased after April 2014. Hydro Tek is not liable for indirect, incidental or consequential damages including any cost of substitute equipment, loss of revenue, pecuniary expense or loss, or inability to use a Hydro Tek product. Hydro Tek disclaims all implied warranties, including those of merchantability and fitness for use for a particular purpose. Some states do not allow exclusions or limitations on how long an implied warranty lasts, so the above exclusions may not apply to you. It is the buyer's responsibility to ensure installation and use of Hydro Tek products conforms to local codes.

INTERNATIONAL END USERS: Warranty is furnished by authorized Hydro Tek dealers or distributors only; and the warranty may vary depending on the dealer or distributor and may be different from Hydro Tek's warranty; please consult distributor for details.

HOW TO OBTAIN WARRANTY SERVICE:

- List washer model#_____.
List serial #_____ (on base plate of machine near the motor/engine).
- Contact your local service dealer and return the Hydro Tek washer or part within the warranty period along with your sales receipt. To locate service, call customer service at Hydro Tek or go to: www.hydrotek.us and enter your zip code.
- You also have the option to obtain a return goods authorization and ship the questionable part freight prepaid directly to the manufacturer. The part will be evaluated upon receipt. If found defective, Hydro Tek will repair or replace part under the conditions of warranty and return to you.
- If the defective component is an engine or motor made by another manufacturer, we, or your authorized Hydro Tek dealer, can help you obtain warranty service through the specific manufacturer's local authorized service center.
- If you are unable to resolve the warranty claim, write to Hydro Tek Systems, Inc. 2353 Almond Ave. Redlands, CA 92374 USA, Attn.: Technical Services. Please enclose a copy of the dated purchase receipt and explain the nature of the defect.

ELECTRICAL PRECAUTIONS:

- Observe all State, Local, and National codes for the installation of your electrically powered washer.**

WARNING

THIS EQUIPMENT CAN BE HAZARDOUS TO THE OPERATORS SAFETY AND ONLY AUTHORIZED PERSONNEL WHO HAVE READ AND UNDERSTOOD THE OPERATION MANUAL SHOULD BE PERMITTED TO OPERATE THIS UNIT. NEVER ALLOW CHILDREN TO PLAY ON OR AROUND THIS EQUIPMENT.

2. For a grounded product rated 250 volts, single phase, or less: This product is provided with a ground fault circuit interrupter built into the power cord plug. (8hp single phase excluded; order GFCI separately). If replacement of the plug or cord is needed, use only identical replacement parts.

3. GROUNDING INSTRUCTIONS:

Cord Connected, Grounded Products:

This product must be grounded. If it should malfunction, grounding provides a path of least resistance for electric current to reduce the risk of electric shock. The product is equipped with a cord having an equipment-grounding conductor. The plug must be plugged into an appropriate outlet that is properly installed and grounded in accordance with all local codes and ordinances.

DANGER – Improper connection of the equipment-grounding conductor can result in electrocution. Check with a qualified electrician or service personnel if you are in doubt as to whether the outlet is properly grounded. Do not modify the plug provided with the product, do not cut off the ground pin – if it will not fit the outlet, have a proper outlet installed by a qualified electrician. Do not use any type of adaptor with this product.

4. To comply with the national electric code, this pressure washer should only be connected to a receptacle that is protected by a ground fault circuit interrupter (GFCI).

5. EXTENSION CORDS: Use of extension cords is not recommended.

6. NEVER operate an electrically powered washer after it has tripped a breaker or a ground fault device without having the reason for the trip determined by an authorized service engineer or competent electrician.

7. Use only in a dry area. Do not handle electrical cords and plugs when they are wet, when your hands are wet, or when standing in water. Do not spray high-pressure water on to the machine.

8. Disconnect power supply before making any repairs or adjustments.

9. Transformer on burner is 20,000 volts. Disconnect battery cable before servicing burner or engine on 12-volt systems.

FIRE PRECAUTIONS:

1. DO NOT use improper fuels or solvents in this equipment, and only fill with the correct fluids when the unit is in an OFF condition, main power is disconnected, and engine and burner are cool.